Safety Data Sheet DATE PREPARED: 12/13/2022 SECTION 1: Identification	DATE UPDATED: 7/11/2024			
6303 PURPLE MIXTURE		MASON SON		
Health	2*			
Flammability	0			
Reactivity	0	Coloring Your World Since 1842		
Personal Protection	See Section 8			
Product number	6303 Deep Orchid			
1.4 Supplier's details				
Name	Mason Color Works Inc.			
Address	250 East Second Street			
	East Livepool, Ohio 43920			
	USA			
Telephone	330 385 4400			
Fax	330 385 4488			
SECTION 2: Hazard identification				
Signal Word: WARNING				
GHS classification in accordance with OSHA (29 CFR 19	910.1200) Not a hazardous substance			
H303: May be harmful if swallowed	P261: Avoid breathing dust.			

P262: Do not get in eyes, on skin.

Wash with plenty of water and soap.

P264: Wash hands thoroughly after handling.

H313: May be harmful in contact with skin H317: May cause an allergic skin reaction H333: May be harmful if inhaled

H335: May cause respiratory

SECTION 3: Composition/information on ingredients

			%	EC no.	CAS no.	Index no.	Formula
6001	CHROME TIN PINK SPHENE	C.I. Pigment Red 233	24%	269-073-6	68187-12-2	C.I. 77301	CaO:SnO:SiO2:Cr2O3
6003	CHROME TIN PINK SPHENE	C.I. Pigment Red 233	38%	269-073-6	68187-12-2	C.I. 77301	CaO:SnO:SiO2:Cr2O3
6006	CHROME TIN PINK SPHENE	C.I. Pigment Red 233	8%	269-073-6	68187-12-2	C.I. 77301	CaO:SnO:SiO2:Cr2O3
6308	COBALT TIN ALUMINA BLUE SPINEL	C.I. Pigment Blue 81	30%	271-771-0	68608-09-3	C.I. 773465	CoA12O4/Co2SnO4

- •Contact with skin:
- •Contact with eyes:

•Swallowing:

•Inhalation:

Wash immediately with water for at least 10 minutes. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet. A suspension of activated charcoal in water, or liquid paraffin may be administered. Ventilate the premises. The patient is to be removed immediately from the contaminated premises and made to rest in a well ventilated area. Should the patient feel unwell, OBTAIN MEDICAL ATTENTION

•

SECTION 5: Fire-fighting measures

•Recommended extinguishers: •Extinguishers not to be used:

•Risks arising from combustion:

•Protective equipment:

Water, CO2, Foam, Chemical powders, according to the materials involved in the fire. None in particular. Avoid inhaling the fumes. Use protection for the respiratory tract.

SECTION 6: Accidental release measures

 Measures for personal safety: 	Use gloves and protective clothing. In the event of particulates aerosols use respiratory protection.
•Environmental measures: .	Keep away from drains, surface- and ground-water and soil
•Cleaning methods:	Limit leakages with earth or sand. If the product has escaped into a water
	course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.
	Remove the waste materials with a suitable device (for instance a suction pump) and dispose.
	After the product has been recovered, rinse the area and materials involved with water.
SECTION 7: Handling and storage	
•Handling precautions:	Wear suitable gloves, glasses and face protection. Avoid contact and inhalation of the vapours/powders.
	Do not eat or drink while working.
Incompatible materials:	None in particular.
•Storage conditions:	Always keep the containers tightly closed.
 Instructions as regards storage premises: 	Adequately ventilated premises.

SECTION 8: Exposure controls / personal protection

· · · · · · · · · · · · · · · · · · ·			
	ACGIH-TLVs	OSHA PELs	NOISHA RELS
Tin Oxide (as Sn) (Total Dust)	2.0 mg/m ³	2.0 mg/m ³	2.0 mg/m ³
Chromium (III) Compounds (as Cr)	0.5 mg/m ³	0.5 mg/m ³	0.5 mg/m ³
Silica, Crystalline (SiO2)	0.1 mg/m ³	10 mg/m ³	0.05 mg/m ³
Cobalt, Metal, Dust & Fume (as Co)	0.02 mg/m ³	0.5 mg/m ³	N/A
Aluminum (as Al), Metal (Total Dust)	10 mg/mg ³ (total)	15 mg/m ³ (total)	N/A

Safety glasses with side-shields (frame goggles) (EN 166)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift.

Appearance/form	Purple/Powder
Odor	None
SPECIFIC GRAVITY	4.93
рН	6
Melting point/freezing point	>1000 C
Initial boiling point and boiling range	NA
Flash point	NA
Evaporation rate	NA
Flammability (solid, gas)	none
Upper/lower flammability limits	NA
Upper/lower explosive limits	NA
Vapor pressure	NA
Vapor density	NA
Relative density	NA
Solubility(ies)	insoluble
Partition coefficient: n-octanol/water	NA
Auto-ignition temperature	NA
Decomposition temperature	NA
Viscosity	NA
Explosive properties	none
Oxidizing properties	none

SECTION 10: Stability and reactivity

Chemical stability	STABLE
Possibility of hazardous reactions	WILL NOT OCCUR
Incompatible materials	NONE
Hazardous decomposition products	N/A

	ORAL	LD50 (male rats) > 10000 mg/kg
	INHALATION	LC50 (rats; 4 hours) > 5.05 mg/L air (actual concentration)
	SKIN	N/A
	NON IRRITATING TO THE SKIN	
	NON IRRITATING TO THE EYES	
	THIS PIGMENT IS NOT LISTED IN THE NA	TIONAL TOXICOLOGY PROGRAM (NTP) REPORT ON CARCINOGENS.
	IT IS NOT LISTED AS A POTENTIAL CARCI	NOGEN IN THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER(IARC) MONOGRAPHS.
	IT IS NOT FOUND TO BE A CARCINOGEN	BY THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION(OSHA)
SECTION 1	2: Ecological information	
	ΕCOTOXICITY	NO DATA
	DEGRADABILITY	NO DATA
	MOBILITY	NO DATA
	BIOACCUMULATIVE	NO DATA
SECTION 1	3: Disposal considerations	
Disposal of t	he product	Contain spillage and scoop or vacuum. Avoid making dust
		put in appropriate container for disposal. Waste disposal method in accordance wit
		Federal, State and Local Laws.
Disposal of c	ontaminated packaging	Dispose of as unused product.
Waste treatr	nent	MUST BE PROCESSED THROUGH IN-HOUSE TREATMENT
Sewage disposal		AVOID CITY DRAINS
SECTION 1	4: Transport information	
1	4.1 UN Number	None
1	4.2 UN Proper Shipping Name	None
1	4.3 Transport hazard class(es)	None
	4.4 Packing group	None
1	4.4 Packing group 4.5 Environmental hazards	None

None

None

14.6 Special precautions for user14.7 Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

California Prop 65 - WARNING! A chemical known to the State of California to cause cancer was used to produce this product

Cobalt Oxide SILICA

CAS #

68187-12-2 68186-95-8

TSCA Inventory		

Attention all Retailers of Mason Stains

ALL retailers of this product are REQUIRED by law to supply their customers with a copy of material safety data sheet with initial purchase.

***SARA 313

This product contains certain oxides and compounds which are subject to reporting requirements of Superfund Amendment and Reauthorization Act (**SARA**) of 1986, Section 313 of the Emergency Planning and Community Right to Know Act and of 40 CRF, Part 372.

The information contained in this SDS must be provided to every employee who is exposed to this product in any way. We recommend the user reads and understands the contents herein before using this material.

PLEASE KEEP ON FILE FOR FUTURE REFERENCE. DO NOT THROW AWAY! SDS'S ARE REQUIRED FOR FIRST SHIPMENT, AND WILL BE SENT AGAIN WHEN REVISED UPON YOUR NEXT ORDER OF PRODUCT OR BY REQUEST.

<u>Disclamer</u>

SECTION 16: REFERENCE INFORMATION

CPMA CLASSIFICATION AND CHEMICAL DESCRIPTIONS OF THE COMPLEX INORGANIC COLOR PIGMENTS Fourth Edition - January 2013 Update

https://www.osha.gov/index.html

http://chem.sis.nlm.nih.gov/chemidplus

13th Report on Carcinogens on October 2, 2014. http://monographs.iarc.fr/ENG/Classification/index.php